HEARING RESEARCH

Vol. 65, No. 1/2 February 1993

CONTENTS

Cited in: Biological Abstracts (BIOSIS); Chemical Abstracts; Current Contents/Life Sciences; Current Awareness in Biological Sciences (CABS); Excerpta Medica (EMBASE); Index Medicus; INSPEC; PASCAL M; Reference Update

D.D. Greenwood (Canada)
The intensitive DL of tones: Dependence of signal/masker ratio on tone level and on spectrum of added noise 1

C.I. Berlin, L.J. Hood, R.P. Cecola, D.F. Jackson and P. Szabo (USA)
Does Type I afferent neuron dysfunction reveal itself through lack of efferent suppression? 40

B. Fritzsch and D.H. Nichols (USA)
DiI reveals a prenatal arrival of efferents at the differentiating otocyst of mice 51

C. Mackersie, K.E. Down and D.R. Stapells (USA)
Pure-tone masking profiles for human auditory brainstem and middle latency responses 61

J. Ylikoski, U. Pirvola, M. Moshnyakov, J. Palgi, U. Arumäe and M. Saarma (Finland, Estonia)
Expression patterns of neurotrophin and their receptor mRNAs in the rat inner ear 69

C.D. Geisler (USA)
A model of stereociliary tip-link stretches 79

D.M. Freeman, D.K. Hendrix, D. Shah, L.F. Fan and T.F. Weiss (USA)
Effect of lymph composition on an in vitro preparation of the alligator lizard cochlea 83

G.D. Pollak and T.J. Park (USA)
The effects of GABAergic inhibition on monaural response properties of neurons in the mustache bat's inferior colliculus 99

N. Kraus, A.G. Micco, D.B. Koch, T. McGee, T. Carrell, A. Sharma, R.J. Wiet and C.Z. Weingarten (USA)
The mismatch negativity cortical evoked potential elicited by speech in cochlear-implant users 118

L.C. Erway, J.F. Willott, J.R. Archer and D.E. Harrison (USA)
Genetics of age-related hearing loss in mice: I. Inbred and F1 hybrid strains 125

C. Platt (USA)
Zebrafish inner ear sensory surfaces are similar to those in goldfish 133

J.W. Conlee and M.L. Bennett (USA)
Turn-specific differences in the endocochlear potential between albino and pigmented guinea pigs 141

R.A. Baird, N.R. Schuff and J. Bancroft (USA)
Regional differences in lectin binding patterns of vestibular hair cells 151

R.A. Baird, M.A. Torres and N.R. Schuff (USA)
Hair cell regeneration in the bullfrog vestibular otolith organs following aminoglycoside toxicity 164

J.J. Eggermont (Canada)
Differential effects of age on click-rate and amplitude modulation-frequency coding in primary auditory cortex of the cat 175

A. Moulin, L. Collet and R. Duclaux (France)
Contralateral auditory stimulation alters acoustic distortion products in humans 193

(continued on page 287 of text)

HEARING RESEARCH

Vol. 65, No. 1/2 February 1993

CONTENTS

Cited in: Biological Abstracts (BIOSIS); Chemical Abstracts; Current Contents/Life Sciences; Current Awareness in Biological Sciences (CABS); Excerpta Medica (EMBASE); Index Medicus; INSPEC; PASCAL M; Reference Update

D.D. Greenwood (Canada)
The intensitive DL of tones: Dependence of signal/masker ratio on tone level and on spectrum of added noise 1

C.I. Berlin, L.J. Hood, R.P. Cecola, D.F. Jackson and P. Szabo (USA)
Does Type I afferent neuron dysfunction reveal itself through lack of efferent suppression? 40

B. Fritzsch and D.H. Nichols (USA)
DiI reveals a prenatal arrival of efferents at the differentiating otocyst of mice 51

C. Mackersie, K.E. Down and D.R. Stapells (USA)
Pure-tone masking profiles for human auditory brainstem and middle latency responses 61

J. Ylikoski, U. Pirvola, M. Moshnyakov, J. Palgi, U. Arumäe and M. Saarma (Finland, Estonia)
Expression patterns of neurotrophin and their receptor mRNAs in the rat inner ear 69

C.D. Geisler (USA)
A model of stereociliary tip-link stretches 79

D.M. Freeman, D.K. Hendrix, D. Shah, L.F. Fan and T.F. Weiss (USA)
Effect of lymph composition on an in vitro preparation of the alligator lizard cochlea 83

G.D. Pollak and T.J. Park (USA)
The effects of GABAergic inhibition on monaural response properties of neurons in the mustache bat's inferior colliculus 99

N. Kraus, A.G. Micco, D.B. Koch, T. McGee, T. Carrell, A. Sharma, R.J. Wiet and C.Z. Weingarten (USA)
The mismatch negativity cortical evoked potential elicited by speech in cochlear-implant users 118

L.C. Erway, J.F. Willott, J.R. Archer and D.E. Harrison (USA)
Genetics of age-related hearing loss in mice: I. Inbred and F1 hybrid strains 125

C. Platt (USA)
Zebrafish inner ear sensory surfaces are similar to those in goldfish 133

J.W. Conlee and M.L. Bennett (USA)
Turn-specific differences in the endocochlear potential between albino and pigmented guinea pigs 141

R.A. Baird, N.R. Schuff and J. Bancroft (USA)
Regional differences in lectin binding patterns of vestibular hair cells 151

R.A. Baird, M.A. Torres and N.R. Schuff (USA)
Hair cell regeneration in the bullfrog vestibular otolith organs following aminoglycoside toxicity 164

J.J. Eggermont (Canada)
Differential effects of age on click-rate and amplitude modulation-frequency coding in primary auditory cortex of the cat 175

A. Moulin, L. Collet and R. Duclaux (France)
Contralateral auditory stimulation alters acoustic distortion products in humans 193

(continued on page 287 of text)

(Contents continued)

N.J. Harding and W.E. Davies (UK)
Cellular localisation of taurine in the organ of Corti 211

A. Moulin, L. Collet, E. Veuillet and A. Morgon (France)
Interrelations between transiently evoked otoacoustic emissions, spontaneous otoacoustic emissions and acoustic distortion products in normally hearing subjects 216

M. Subramaniam, D. Henderson and V.P. Spongr (USA)
Protection from noise induced hearing loss: Is prolonged 'conditioning' necessary? 234

L. Schweitzer, T. Cecil and E.J. Walsh (USA)
Development of GAD-immunoreactivity in the dorsal cochlear nucleus of the hamster and cat: light and electron microscopic observations 240

M. Aoyagi, T. Kiren, Y. Kim, Y. Suzuki, T. Fuse and Y. Koike (Japan)
Optimal modulation frequency for amplitude-modulation following response in young children during sleep 253

B.A. Schulte (USA)
Immunohistochemical localization of intracellular Ca-ATPase in outer hair cells, neurons and fibrocytes in the adult and developing inner ear 262

Y. Nishida, T. Fujimoto, A. Takagi, I. Honjo and K. Ogawa (Japan)
Fodrin is a constituent of the cortical lattice in outer hair cells of the guinea pig cochlea: Immunocytochemical evidence 274

Author Index 281

Subject Index 283

Calendar of Events 288